

MATERIAL SAFETY DATA SHEET

This MSDS complies with OSHA's Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174

SECTION 1- PRODUCT AND MANUFACTURER'S INFORMATION						
NFPA Rating: Health-2; Flammability-0; Reactivity-0; Special-0			HMIS Rating: Health-2; Flammability-0; Reactivity-0; Personal Protection-0			
DISTRIBUTED BY: Mastercraft Industries, Inc.			DOT Hazard Classification: CORROSIVE			
MANUFACTURED BY: MISSION LABORATORIES			identity (trade name as used on label):			
Address: 2433 BIRKDALE STREET LOS ANGELES, CA. 90031			CAN DO MIST 476013 476110 476544			
Date Prepared: 02/20/06		Prepared By: PR	MSDS Number: X-131		Revision-	
Information Calls: (323) 223-1405			NOTICE: JUDGMENT BASED ON INDIRECT TEST DATA			
EMERGENCY RESPONSE NUMBER: (800) 255-3924						
SECTION 2 - HAZARDOUS MATERIAL IDENTIFICATION AND INFORMATION						
COMPONENTS-CHEMICAL NAMES AND COMMON NAMES (Hazardous Components 1% or greater; Carcinogens 0.1% or greater)		CAS Number	SARA III LIST	OSHA PEL (ppm)	ACGIH TLV (ppm)	Carcinogen Ref. Source **
2-BUTOXYETHANOL 1.00		11-76-2	N/E	25	N/E	N/E
SODIUM METASILICATE 1.00		6834-92-0	N/E	N/E	N/E	N/E
SODIUM TRIPOLY PHOSPHATE 1.00		7758-29-4	N/E	N/E	N/E	N/E
SECTION 3 - PHYSICAL/CHEMICAL CHARACTERISTICS						
Boiling Point: >212 F			Specific Gravity : 1.09			
Vapor Pressure: N/E Max.			pH of Product : 12.75			
Vapor Density N/E			Evaporation Rate: <1.00			
Solubility in Water: Soluble			Water Reactive: N/E			
Appearance and Odor: CLEAR THIN LIQUID WITH SLIGHT SOLVENT ODOR						
SECTION 4 - FIRE AND EXPLOSION HAZARD DATA						
FLAMMABILITY as per USA FLAME PROJECTION TEST NON FLAMMABLE		Auto Ignition Temperature N/E		Flammability Limits in Air by % in Volume: LOWER : 0.00 UPPER : 0.00		
FLASH POINT AND METHOD USED (non-aerosols): > 200 F(TCC)		EXTINGUISHER MEDIA: Foam, dry chemical, carbon dioxide, water.				
SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus.						
Unusual Fire & Explosion Hazards: TOXIC FUMES MAY BE EMITTED IF MATERIAL IS EXPOSED TO EXTREME TEMPERATURES.						
SECTION 5 - REACTIVITY HAZARD DATA						
STABILITY [X] STABLE [] UNSTABLE		HAZARDOUS POLYMERIZATION [] WILL [X] WILL NOT OCCUR				
Incompatibility (Mat. to avoid): VERY STRONG OXIDIZING AGENTS		Conditions to Avoid: KEEP AWAY FROM HEAT OR OPEN FLAME.				
Hazardous Decomposition Products: Smoke, Carbon Monoxide, Carbon Dioxide and other Toxic Fumes.						
SECTION 6 - HEALTH HAZARD DATA						
PRIMARY ROUTES OF ENTRY: [X] INHALATION [X] INGESTION [X] SKIN ABSORPTION [X] EYE [] NOT HAZARDOUS						
ACUTE EFFECTS : None Known.						
Inhalation: Prolonged exposure to vapors may cause signs & symptoms of Central Nervous System Depression such as Headache, Dizziness, Weakness and Loss of Coordination. Vapor/Mist may result in irritation to the entire Respiratory Tract.						
Eye Contact: Contact with eyes may result in severe eye irritation and possible damage of the Corneal. Redness and Tearing.			Skin Contact: Prolonged or Repeated skin contact may result in skin irritation leading to Dermatitis. Defatting of skin may also occur.			
Ingestion: Ingestion of this product may result in Gastrointestinal Irritation, Headache, Nausea, Vomiting and Diarrhea.						
CHRONIC EFFECTS: None Known.						
Medical Conditions Generally Aggravated by Exposure: None Known.						
SECTION 7- EMERGENCY FIRST AID PROCEDURES						
Eye Contact: Remove contact lenses immediately. Flush eyes with plenty of water for at least 15 minutes. Get immediately medical attention.						
Skin Contact: Wash skin with plenty of water. Remove contaminated clothing and wash before reuse. Get medical attention if needed.						
Inhalation: Remove to Fresh Air. Give Oxygen or CPR. Get immediately medical attention.						
Ingestion: Do not give anything by mouth to an unconscious or convulsing person. Do not induce vomiting. Get immediately medical attention.						
SECTION 8 - PERSONAL PROTECTION						
Respiratory Protection (specify type): USE SELF CONTAINED AIR MASK IN CLOSED ROOMS.						
Protective Gloves: Neoprene or Rubber Gloves.			Eye Protection: SAFETY GLASSES OR MONOGOGGLES.			
Ventilation Requirements: GOOD VENTILATION SHOULD BE MAINTAINED.						
Other Protective Clothing & Equipment: Impervious apron and boots. Provide emergency safety showers and eye wash fountain near work area.						
Hygienic Work Practices: Do not mix this product with other chemicals. Toxic Fumes may be emitted.						

SECTION 9 – ACCIDENTAL RELEASE PROCEDURES

Steps To Be Taken If Material Is Spilled Or Released: KEEP UNNECESSARY PEOPLE AWAY. SPILLS ARE SLIPPERY. DIKE & CONTAIN WITH INERT ABSORBENT MATERIAL. COLLECT FOR DISPOSAL.

Waste Disposal Methods: CONSULT LOCAL AUTHORITY FOR ALTERNATE METHODS. OBSERVE ALL LOCAL, STATE & FEDERAL REGULATIONS.

Precautions To Be Taken In Handling & Storage: STORE IN A COOL WELL VENTILATED AREA AWAY FROM SPARK, HEAT AND OPEN FLAME.

Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.

**** Chemical Listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not Listed [e] Animal Data Only**

Manufactured By:

Product Name:

468045
CAN DO MIST
454982, 466530

PRODUCTS CHEMICAL COMPANY 6400 Herman Av Cleveland OH 44102

EMERGENCY: phone number involving spill, leak, fire or accident:

INFOTRAC 800-535-5053

MATERIAL SAFETY DATA (Prepared According to 29CFR 1910,1200)

SECTION 1 -- PRODUCT IDENTIFICATION

Product Code # 2629

PRODUCT NAME:

PRODUCT TYPE: CARPET STEAM CLEANER

COMPANY NAME:

COMPANY ADDRESS:

Proper Shipping Name: COMPOUND, CLEANING LIQUID, NOI

HMIS Rating Health ... 1
Fire ... 0
Reactivity ... 0
Personal Protection ... B

Formula Proprietary

SECTION 2 -- INGREDIENTS

Revision Date: 02/01

CHEMICAL NAME	CAS NO.	PERCENT WT	313 / CHEM	PEL	TWA-TLV	CARCINOGEN
WATER	7732-18-5	to 100	N			NO
SESQUICARBONATE	533-96-0	0 to 5	N			NO
SODIUM CARBONATE	497-19-0	0 to 5	N	NO
SODIUM METASILICATE	6834-92-0	0 to 5	N	2	2	NO
2 BUTOXYETHANOL	111-76-2	2.267	Y	25ppm	25ppm	Yes
XYLENE SULFONATE	1300-72-7	0 to 5	N			NO
PERFUME OIL	N/A	0 to 5	N			NO
DYE	518-47-0	0 to 5	N			NO
NONIONIC SURFACTANT	68987-01-5	0 to 5	N			NO

This product contains materials subject to the reporting requirements of SARA, Section 313 Emergency Planning & Right-To-Know Act.

SECTION 3 -- PHYSICAL DATA

SECTION 4 -- FIRE AND EXPLOSION DATA

Boil Point 212	Specific Gravity 1.04	Flash Point: N/A (TCP)
Vapor Press.(mmhg) 20@68f	Volatile: 89.5	Flammable Limits: N/A
VaporDensity (AIR=1) N/A	pH 11	Extinguishing Media: Non-Flammable
Solubility in Water: CMP	Evap. Rate (H2O=1) 1-1	Special Fire Fighting Procedures: N/A
Appearance / Odor: YELLOW LIQUID/MINT		Fire, Explosion Hazards: N/A

SECTION 5 -- REACTIVITY DATA

SECTION 6 -- STORAGE AND HANDLING

Stability: STABLE	KEEP OUT OF THE REACH OF CHILDREN
Hazardous Polymerization: WILL NOT OCCUR	For industrial use only
Incompatibility: NONE KNOWN	
Hazardous Decomposition: NONE KNOWN	

SECTION 7 -- HEALTH AND FIRST AID

EYES: May Cause eye irritation.	EYES: Flush eyes with large amounts of water. Consult physician if irritation continues.
SKIN: May cause skin irritation.	SKIN: Flush with water.
INHALATION:	INHALATION: Move person to fresh air. Consult physician
INGESTION: May cause irritation to the intestine, mouth, throat, & esophagus.	INGESTION: Induce vomiting. Drink large quantities of water. Consult Physician.

SECTION 8 -- SPECIAL PROTECTION DATA

SECTION 9 -- SPILL OR LEAK PRECAUTIONS

Repository Protection: Adequate ventilation	Steps to be taken in case of spill or leak:
Ventilation as required to maintain TLV	Mop or absorb for disposal
Protective Gloves: Rubber Gloves Recommended.	Waste disposal Method:
Eye Protection: Safety Glasses Recommended	Sewer or incinerate with local approval.

N/A = Not Applicable CMP = Complete

END OF GENERATE